## Psychiatry / Psychology / Quality of Living

Dissociative phenomena in patients suffering from different psychosomatic primary diseases

- Significance of neopterin, phenylalanin, serotonin, CD14, TRP and the Hamilton score to evaluate the course in patients suffering from depression
- Occupational gratification crises of managers correlation between work ability index and the ADS scores
- Applying the SF-36 on different employees' groups in large companies with different levels of sense of coherence
- Gender-specific differences regarding coping in illnesses of the endogenous spectrum
- Influence of short-term psychotherapy on the personality of patients with neurotic disorders
- Time management and procrastination in students a survey
- Influence of birth complications and prenatal stress factors on disorders of emotional and social development
- Comparison of sexual development and one's own sexual perception in hetero vs. homosexual tendency
- Diagnosis of psychiatric diseases in recent decades: Epidemiologic influencing factors on changes in illness incidences
- Influence of benzodiazepine on mortality in patient with endogenous psychoses a long-term study
- Comparison of schizoaffective disorders: risk factors, therapeutic procedures and long-term courses
- Cerebrovascular reactivity in endogenous depression
- Improvement of endogenous depression by administration of plant concentrates
- Effectivity of therapy programmes for children with aggressive behaviour
- Behavioural syndromes and cognitive disorders in children suffering from haemolytic and oncological diseases evaluation of the Kindle questionnaire
- Inflammation parameters in endogenous psychoses: course of disease under medicinal therapy
- Comparison pro-inflammatory vs. anti-inflammatory interleukin in serum and liquor in bacterial, viral and demential cerebral diseases
- Case series of 2 drugs in patients with somatoform disorders
- Coincidence of internet, computer and television addiction personality characteristics and influence on the quality of life
- Comparison of effectivity of different smoking cessation programmes
- Influence of internet behaviour on the compliance in patients suffering from endogenous psychoses
- Medical treatment of the side effects of alcoholic stupor a case series
- Developments in EEG potentials, neuro-psychologic and psychometric tests regarding alcohol addiction
- Influence of serotonin polymorphisms on the development of depression in patients with alcohol abuse
- Influence of the pitch of voice on the acceptance of top executives
- Comparison of satisfaction of hospital patients in different Asian countries
- QLQ-C30, SWE, HADS-Scale and resilience scale in oncologic patients
- Validity of the evaluation of anxiety and depression by means of the HADS Scale in different gynaecologic tumours

- Evaluation of pain (BDI questionnaire) and FFbH-P (function questionnaire Hannover) in patients with chronic polyarthritis under optimized therapy
- Quality of life in presbyacusia in patients with vs. without hearing aid
- Delirium and quality of life after hip fractures in patients with dementia
- Influencing factors on the quality of life (QLQ-C30 scales) in prostate carcinoma
- Development of a new questionnaire for the assessment of the satisfaction of students: Validation and reliability analysis (Cronbach's α)
- Mental strain and work stress in nursing staff implementation of the COSOQ score
- Influence of endogenous and exogeneous stressors on cognitive performances
- Influence of education on psycho-social stress of oncology nurses (implementation of EWL, AVEM and SF-36)